DATASHEET FOR EXPORTERS

IMPORT VERIFICATION PROGRAMME FOR INDONESIA – IRON & STEEL

TABLE OF CONTENTS

1. Import Verification Programme (IVP) mandate 3
2. Inspection Order 3
3. Inspection requirements/restrictions 3
4. Seller's invoice requirements 4
5. Reporting requirements 4
6. Inspection fees 4
7. Listing of goods exempted from PSI 4
8. Listing of prohibited imports 4
9. Listing of restricted imports 4
10. Other relevant information 4
11. Inspection zones 5

1. Import Verification Programme (IVP) mandate

IVP MANDATEED BY:	*Ministry of Trade*
APPLICABLE REGULATION(S):	*1. No. 08/M-DAG/PER/2/2009 dated 19 Feb 2009 concerning the technical verification or survey of the import of iron and steel products.* *2. No. 736/M-DAG/KEP/3/2009 dated 30 Mar 2009 concerning the appointment of the surveyor to carry out the technical verification or survey of iron and steel products.* *3. No. 21/M-DAG/PER/6/2009 dated 11 Jun 2009 concerning the technical verification or survey of the import of iron and steel products with revised list of HS codes* *4. No. 54/M-DAG/PER/6/2010 dated 28/12/2010 concerning the technical verification or survey of the import of iron and steel products with revised list of HS codes*
APPOINTED PSI COMPANY(IES):	*COTECNA Inspection S.A.* (for exports from Japan and Korea only)
SELECTION OF PSI COMPANY:	*Geographical: Based on country of export.*

SCOPE OF PSI:

- ☒ Quality and Quantity
- ☐ *Quality and Quantity (for customs purposes only)*
- ☐ *Export market price (for foreign exchange purposes)*
- ☐ *Export market price (for government information purposes)*
- ☐ *Value for customs purposes*
- ☒ *Customs classification*
- ☒ *Import eligibility*
- ☐ *Other (to be specified):*

MINIMUM ORDER VALUE SUBJECT TO PSI:	*None.*
PART SHIPMENTS:	*Subject to IVP*
EXEMPTIONS FROM PSI:	*Not applicable*

2. Inspection Order

NAME	*IO (Inspection Order)*
ISSUED BY	*Cotecna S.A. based upon Verification Order (VO) received from KSO SCISI.*
VALIDITY	*Not applicable*
AMOUNT BY WHICH VO VALUE MY BE EXCEEDED	*Not applicable*
CHANGE FROM SEA TO AIR	*Accepted*
DESTINATION INSPECTION	*Not allowed*

3. Inspection requirements/restrictions

SEALING OF F.C.L. CONTAINERS REQUIRED:	☒ *Yes*	☐ *No*
SECOND-HAND GOODS:	☐ *Yes*	☒ *No*
PROHIBITED IMPORTS:	☐ *Yes*	☒ *No*
RESTRICTED IMPORTS:	☐ *Yes*	☒ *No*
LABELLING REQUIREMENTS: (ON GOODS/PACKAGES)	☐ *Yes*	☒ *No*
OTHER SPECIAL REQUIREMENTS:	☒ *Yes*	☐ *No* (see section 10 for listing of regulations)

4. Seller's invoice requirements

BUYING/CONFIRMING COMMISSION	*Not applicable*
INSURANCE	*No specific restriction*
FINANCIAL INTEREST	*No specific restriction*
FINAL INVOICE TO SHOW	*FOB, freight, insurance and total value (where applicable) as well as any advance payment.*

5. Reporting requirements

FINAL DOCUMENTS REQUIRED BY PSI COMPANY TO ISSUE REPORT:
Final invoice - packing list – shipping details or bill of lading/transport document.

TYPE OF REPORT ISSUED:

1. To seller:	Not applicable
2. To KSO SCISI:	Draft Laporan Survey (LS) in case of satisfactory results
	Non Negotiable Draft Laporan Survey (NNLS) in case of discrepancy results

REPORT PURPOSE:

For KSO SCISI: to issue Final LS to importer for Customs clearance purpose.

6. Inspection fees

Paid by the importers to KSO SCISI. Nevertheless, Cotecna may invoice the seller in the event of supplementary inspection visits (in vain or unsatisfactory results). The costs incurred by the seller for presenting the goods for inspection, such as unpacking, handling, repackaging are for the account of the seller.

7. Listing of goods exempted from PSI

Not applicable.

8. Listing of prohibited imports

Not applicable.

9. Listing of restricted imports

Not applicable.

10. Other relevant information

> List of HS codes subject to IVP (see attachment)

> Mill certificates (whenever applicable) MUST be made available to Cotecna/inspector prior to inspection or latest on day of inspection as required for verification under the programme.

In the event that the mill certificates can only be made available on the day of inspection, a written confirmation from the exporter has to be submitted to Cotecna. For such cases, Cotecna reserves the right to abort the inspection and charge exporter for the aborted inspection if the mill certificates are not available during inspection.

11. Inspection zones

Country of supply falling under Cotecna's Responsibility

Korea and japan

List of goods subject to IVP:

No	Description	HS CODE
	Flat-rolled product of iron or non-alloy steel, of a width of 600mm or more, hot rolled, not clad, plated or coated (+).	***72.08***
1	*- In coils, not further worked than hot rolled, with patterns in relief*	*7208.10.00.00*
	- Other, in coils, not further worked than hot-rolled, pickled:	
2	*- - Of a thickness of 4.75mm or more:*	*7208.25.00.00*
3	*- - Of a thickness of 3mm or more but less than 4.75mm*	*7208.26.00.00*
	- - Of a thickness less than 3mm	*7208.27*
4	*- - - Of a thickness of less than 2 mm*	*7208.27.10.00*
5	*- - - Other*	*7208.27.90.00*
	- Other, in coils, not further worked than hot-rolled:	
6	*- - Of a thickness exceeding 10mm*	*7208.36.00.00*
7	*- - Of a thickness of 4,7mm or more but not exceeding 10mm*	*7208.37.00.00*
8	*- - of a thickness of 3mm or more but less than 4,75mm*	*7208.38.00.00*
9	*- - With a thickness less than 3mm*	*7208.39.00.00*
10	*- Not in coils, not further worked than hot rolled, with patterns in relief*	*7208.40.00.00*
	- Other, not in coils, not further worked than hot rolled:	
11	*- - Of a thickness exceeding 10mm*	*7208.51.00.00*
12	*- - Of a thickness of 4,75mm or more but not exceeding 10mm*	*7208.52.00.00*
13	*- - Of a thickness of 3mm or more but less than 4,75mm*	*7208.53.00.00*
14	*- - Of a thickness of less than 3mm*	*7208.54.00.00*
15	*- Other*	*7208.90.00.00*
	Flat-rolled products of iron or non-alloy steel, of a width of 600mm or more, cold-rolled (cold-reduced), not clad or coated (+)	
	- In coils, not further worked than cold-rolled (cold-reduced):	
	-- Of a thickness exceeding 1mm but less than 3mm:	*7209.16*
16	*- - - With a width of up to 1.250mm, whose surface has been cleansed or not*	*7209.16.00.10*
	- - Of a thickness of 0,5mm or more but not exceeding 1mm:	*7209.17*
17	*- - - With a width of up to 1.250mm, whose surface has been cleansed or not*	*7209.17.00.10*
	- - Of a thickness of less than 0.5mm:	*7209.18*
	- - - Tin-mill black-plate	*7209.18.10.00*
	- - - Other:	
	- - - - Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	*7209.18.91.00*
18	*- - - - Other*	*7209.18.99.00*
	- Not in coils, not further worked than cold-rolled (cold reduced):	
	- - Of a thickness exceeding 1mm but less than 3mm:	*7209.26*
19	*- - - With a width of up to 1.250mm, whose surface has been cleansed or not*	*7209.26.00.10*
	- - Of a thickness of 0.5mm or more but not exceeding 1mm:	*7209.27*
20	*- - - With a width of up to 1.250mm, whose surface has been cleansed or not*	*7209.27.00.10*
	- - Of a thickness less than 0.5mm:	*7209.28*
	- - - Containing by weight less than 0.6% of carbon and of a thickness of 0.17 mm or less	
21	*- - - Other*	*7209.28.90.00*
	Flat-rolled products of iron or non-alloy steel, of a width of 600mm or more, clad, plated or coated (+).	*72.10*
	- Plated or coated with tin:	
	- - Of a thickness of less than 0.5mm	*7210.12*
22	*- - - Contains carbon of 0.6% or more in accordance to its weight*	*7210.12.10.00*
23	*- - - Other*	*7210.12.90.00*
	- Plated or coated with zinc:	
	- - Corrugated	*7210.41*
	- - - Containing by weight less than 0.6% of carbon:	
24	*- - - - Of a thickness not exceeding 1.2 mm*	*7210.41.11.00*
25	*- - - - Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm*	*7210.41.12.00*
26	*- - - - Other*	*7210.41.19.00*
	- - - Other:	
27	*- - - - Of a thickness not exceeding 1.2 mm*	*7210.41.91.00*
28	*- - - - Other*	*7210.41.99.00*
	- - Other:	*7210.49*
	- - - Containing by weight less than 0.6% of carbon:	
29	*- - - - Coated with zinc by the iron-zinc alloyed coating method, containing by weight less than 0.04% of carbon and of a thickness not exceeding 1.2 mm*	*7210.49.11.00*
30	*- - - - Other, of a thickness not exceeding 1.2 mm*	*7210.49.12.00*
31	*- - - - Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm*	*7210.49.13.00*

No	Description	HS CODE
32	- - - - Other	7210.49.19.00
	- - - Other:	
33	- - - - Of a thickness not exceeding 1.2 mm	7210.49.91.00
34	- - - - Other	7210.49.99.00
	- Plated or coated with aluminium:	
	- - Plated or coated with aluminium-zinc alloys:	7210.61
	- - - Containing by weight less than 0.6% of carbon:	
	- - - - Of a thickness not exceeding 1.2 mm	7210.61.11.00
	- - - - Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	7210.61.12.00
35	- - - - Other	7210.61.19.00
	- - - Other:	
36	- - - - Of a thickness not exceeding 1.2 mm	7210.61.91.00
37	- - - - Other	7210.61.99.00
	- - Other:	7210.69
	- - - Containing by weight less than 0.6% of carbon:	
38	- - - - Of a thickness not exceeding 1.2 mm	7210.69.11.00
39	- - - - Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	7210.69.12.00
40	- - - - Other	7210.69.19.00
	- - - Other:	
41	- - - - Of a thickness not exceeding 1.2 mm	7210.69.91.00
42	- - - - Other	7210.69.99.00
	- Painted, varnished or coated with plastics:	7210.70
	- - Containing by weight less than 0.6% of carbon and of a thickness of 1.5 mm or less	7210.70.10.00
43	- - Other	7210.70.90.00
	- Other:	7210.90
44	- - Containing by weight less than 0.6% of carbon and of a thickness of 1.5 mm or less	7210.90.10.00
45	- - Other	7210.90.90.00
	Flat-rolled products of iron or non-alloy steel, of a width of less than 600mm, not clad, plated or coated (+).	72.11
	- Not further worked than hot rolled:	
	- - Rolled on four faces or in a closed box pass, of a width exceeding 150mm and a thickness of not less than 4mm, not in coils and without patterns in relief:	7211.13
46	- - - Hoop and strip, of a width exceeding 150 mm but not exceeding 400 mm	7211.13.10.00
	- - - Other:	7211.13.90
47	- - - - Corrugated, containing by weight less than 0.6% of carbon	7211.13.90.10
48	- - - - Other	7211.13.90.90
	- - Other, of a thickness of 4.75 mm or more:	7211.14
	- - - Of a thickness of 4.75 mm or more but not exceeding 10 mm:	
49	- - - - Hoop and strip, of a width not exceeding 400 mm	7211.14.11.00
50	- - - - Corrugated, containing by weight less than 0.6% of carbon	7211.14.12.00
51	- - - - Other	7211.14.19.00
	- - - Of a thickness of more than 10 mm:	
52	- - - - Hoop and strip, of a width not exceeding 400 mm	7211.14.21.00
53	- - - - Corrugated, containing by weight less than 0.6% of carbon	7211.14.22.00
54	- - - - Other	7211.14.29.00
	- - Other:	7211.19
	- - - Of a thickness of 2 mm or more but less than 4.75 mm:	
55	- - - - Hoop and strip, of a width not exceeding 400 mm	7211.19.11.00
56	- - - - Corrugated, containing by weight less than 0.6% of carbon	7211.19.12.00
57	- - - - Other	7211.19.19.00
	- - - Of a thickness of less than 2 mm:	
58	- - - - Hoop and strip, of a width not exceeding 400 mm	7211.19.21.00
59	- - - - Corrugated, containing by weight less than 0.6% of carbon	7211.19.22.00
60	- - - - Other, of a thickness of 0.17 mm or less	7211.19.23.00
61	- - - - Other	7211.19.29.00
	- Not further worked than cold-rolled (cold reduced):	
	- - Containing by weight less than 0.25% of carbon:	7211.23
62	- - - Corrugated	7211.23.10.00
63	- - - Hoop and strip, of a width not exceeding 400 mm	7211.23.20.00
64	- - - Other, with a thickness of 0.17mm or less:	7211.23.30.00
	- - - Other:	7211.23.90
65	- - - - With a thickness exceeding 40mm	7211.23.90.10
66	- - - - Other	7211.23.90.90
	- - Other:	7211.29
67	- - - Corrugated	7211.29.10.00
68	- - - Hoop and strip, of a width not exceeding 400 mm	7211.29.20.00
69	- - - Other, of a thickness of 0.17 mm or less	7211.29.30.00
70	- - - Other	7211.29.90.00
	- Other:	7211.90
71	- - Hoop and strip, of a width not exceeding 400 mm	7211.90.10.00

No	Description	HS CODE
72	- - Corrugated, containing by weight less than 0.6% of carbon	7211.90.20.00
73	- - Other, of a thickness of 0.17 mm or less	7211.90.30.00
74	- - Other	7211.90.90.00
	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.	72.12
	- Plated or coated with tin:	7212.10
75	- - Hoop and strip, of a width not exceeding 400 mm	7212.10.10.00
	- - Other:	
	- - - Containing by weight less than 0.6% of carbon	7212.10.91.00
	- - - Other	7212.10.99.00
	- Electrolytically plated or coated with zinc:	7212.20
	- - Hoop and strip, of a width not exceeding 400 mm	7212.20.10.00
	- - Other, containing by weight less than 0.6% of carbon & of a thickness of 1.5 mm or less	7212.20.20.00
	- - Other	7212.20.90.00
	- Otherwise plated or coated with zinc:	7212.30
	- - Hoop and strip, of a width not exceeding 400 mm	7212.30.10.00
	- - Other, containing by weight less than 0.6% of carbon & of a thickness of 1.5 mm or less	7212.30.20.00
	- - Other:	
	- - - Coated with zinc by the iron-zinc alloyed coating method, containing by weight less than 0.04% of carbon	7212.30.91.00
	- - - Other	7212.30.99.00
	- Painted, varnished or coated with plastics:	7212.40
76	- - Hoop and strip, of a width not exceeding 400 mm	7212.40.10.00
	- - Other, containing by weight less than 0.6% of carbon & of a thickness of 1.5 mm or less	7212.40.20.00
	- - Other	7212.40.90.00
	- - - Containing by weight less than 0.6% of carbon	7212.10.91.00
	- - - Other	7212.10.99.00
	Bars and rods, hot rolled, in irregularly wound coils, of iron or non-alloy steel.	72.13
77	- Containing indentations, ribs, grooves or other deformations produced during rolling process	7213.10.00.00
	- Other, of free-cutting steel	7213.20.00.00
	- Other:	
	- - Of circular cross-section measuring less than 14 mm in diameter:	7213.91
78	- - - Of a kind used for producing soldering sticks	7213.91.10.00
79	- - - Of a kind used for concrete reinforcement (rebars)	7213.91.20.00
80	- - - Other	7213.91.90.00
	- - Other:	7213.99
81	- - - Of a kind used for producing soldering sticks	7213.99.10.00
82	- - - Of a kind used for concrete reinforcement (rebars)	7213.99.20.00
83	- - - Other	7213.99.90.00
	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.	72.14
	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:	7214.20
	- - Containing by weight less than 0.6% of carbon:	
	- - - Of circular cross-section:	
84	- - - - Of a kind used for concrete reinforcement (rebars)	7214.20.31.00
85	- - - - Other	7214.20.39.00
	- - - Other:	
86	- - - - Of a kind used for concrete reinforcement (rebars)	7214.20.41.00
87	- - - - Other	7214.20.49.00
	- - Other:	
	- - - Of circular cross-section:	
88	- - - - Of a kind used for concrete reinforcement (rebars)	7214.20.51.00
89	- - - - Other	7214.20.59.00
	- - - Other:	
90	- - - - Of a kind used for concrete reinforcement (rebars)	7214.20.61.00
91	- - - - Other	7214.20.69.00
	- Other, of free-cutting steel	7214.30.00.00
	- Other:	
	- - Of rectangular (other than square) cross-section:	7214.91
	- - - Containing by weight less than 0.6% of carbon:	7214.91.10
92	- - - - Concrete steel	7214.91.10.10
	- - - - Shaft bars; manganese steel	7214.91.10.20
93	- - - - Other	7214.91.10.90
	- - - Containing by weight 0.6% or more of carbon:	7214.91.20
94	- - - - Concrete steel	7214.91.20.10
	- - - - Shaft bars; manganese steel	7214.91.20.20
95	- - - - Other	7214.91.20.90
	- - Other:	7214.99
	- - - Containing by weight 0.6% or more of carbon, other than of circular cross-section:	7214.99.10
96	- - - - Concrete steel	7214.99.10.10
	- - - - Shaft bars; manganese steel	7214.99.10.20

No	Description	HS CODE
97	- - - - Other	7214.99.10.90
	- - - Other:	7214.99.90
98	- - - - Concrete steel	7214.99.90.10
	- - - - Shaft bars; manganese steel	7214.99.90.20
99	- - - - Other	7214.99.90.90
	Other bars and rods of iron or non-alloy steel (+).	72.15
	- Of free-cutting steel, not further worked than cold-formed or cold-finished	7215.10.00.00
	- Other, not further worked than cold-formed or cold-finished:	7215.50
	- - Containing by weight 0.6% or more of carbon, other than of circular cross-section	7215.50.10.00
100	- - - Of a kind used for concrete reinforcement (rebars)	7215.50.91.00
101	- - - Other	7215.50.99.00
	- Other:	7215.90
102	- - Of a kind used for concrete reinforcement (rebars)	7215.90.10.00
103	- - Other	7215.90.90.00
	Angles, shape and sections of iron or non-alloy (+).	72.16
104	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height less than 80mm	7216.10.00.00
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80mm:	
105	- - L section	7216.21.00.00
106	- - T section	7216.22.00.00
	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80mm or more:	
107	- - U section	7216.31.00.00
108	- - I section	7216.32.00.00
109	- - H section	7216.33.00.00
110	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, with a height of 80mm or more	7216.40.00.00
	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:	7216.50
111	- - With a height of less than 80mm	7216.50.10.00
112	- - Other	7216.50.90.00
	- Angles, shapes or sections, not further worked than cold-formed or cold-finished:	
113	- - Obtained from flat-rolled products	7216.61.00.00
114	- - Other	7216.69.00.00
	- Other:	
115	- - Cold-formed or cold-finished from flat-rolled products	7216.91.00.00
116	-- Other	7216.99.00.00
	Wire of iron or non-alloy steel (+)	72.17
	- Not plated or coated, whether or not polished	7217.10
117	- - Containing by weight less than 0.25% of carbon	7217.10.10.00
	- - Containing by weight 0.25% or more but less than 0.6% of carbon:	
118	- - - Bead wire; reed wire; prestressed concrete steel wire; free-cutting steel wire	7217.10.22.00
119	- - - Other	7217.10.29.00
	- - Containing by weight 0.6% or more of carbon:	
	- - - Spokes wire;bead wire;reed wire;prestressed concrete steel wire;free-cutting steel wire:	7217.10.31
120	- - - - Prestressed concrete steel wire	7217.10.31.10
121	- - - - Other	7217.10.31.90
122	- - - Other	7217.10.39.00
	- Plated or coated with zinc:	7217.20
	- - Containing by weight less than 0.25% carbon:	7217.20.10
	- - - Zinc coated with a layer weight of not less than 240 g/m²	7217.20.10.10
	- - - Other	7217.20.10.90
123	- - Containing by weight 0.25% or more but less than 0.45% of carbon	7217.20.20.00
	- - Containing by weight 0.45% or more of carbon:	
124	- - - Steel core wire of a kind used for steel reinforced aluminium conductors (ACSR)	7217.20.91.00
125	- - - Other	7217.20.99.00
	- Plated or coated with other base metals:	7217.30
	- - Containing by weight less than 0.25% of carbon:	
126	- - - Plated or coated with tin	7217.30.11.00
127	- - - Other	7217.30.19.00
	- - Containing by weight 0.25% or more of carbon but less than 0.6% of carbon:	
128	- - - Plated or coated with tin	7217.30.21.00
129	- - - Other	7217.30.29.00
	- - Containing by weight 0.6% or more of carbon:	
	- - - Copper alloy coated steel wire of a kind used in the manufacture of pneumatic rubber tyres (bead wire):	
	- - - - Coated with brass	7217.30.31.10
	- - - - Coated with other copper alloys	7217.30.31.90
130	- - - Other, plated or coated with tin	7217.30.32.00
131	- - - Other	7217.30.39.00
	- Other:	7217.90
132	- - Containing by weight less than 0.25% of carbon	7217.90.10.00
133	- - Other	7217.90.90.00
	Wire of other alloy steel.	72.29

No	Description	HS CODE
	- Of silico-manganese steel	*7229.20.00.00*
	- Other:	*7229.90*
	- - Of high speed steel	*7229.90.10.00*
	- - Other:	*7229.90.90*
134	*- - - Containing by weight 0.5% or more of chromium (Cr)*	*7229.90.90.10*
135	*- - - Other*	*7229.90.90.90*
	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes, and sections, of iron or steel.	*73.01*
136	*- Angles, shapes and sections*	*7301.20.00.00*
	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (+).	*73.04*
	- Casing, tubing and drill pipe of a kind used in drilling for oil or gas:	
	- - Drill pipe of stainless steel	*7304.22.00*
	- - - Green pipe with a yield strength of less than 75.000 Psi and whose ends have not been processed	
137	*- - - Other*	*7304.22.00.90*
	- - Other drill pipe	*7304.23.00*
	- - - Unfinished drill pipe with yield strength less than 80.000 PSI and unworked pipe-end	*7304.23.00.10*
138	*- - - Other*	*7304.23.00.90*
	- - Other, of stainless steel:	*7304.24.00*
	- - - Unfinished drill pipe with yield strength less than 80.000 PSI and unworked pipe-end	*7304.24.00.10*
139	*- - - Other*	*7304.24.00.90*
	- - Other:	*7304.29.00*
	- - - Unfinished drill pipe with yield strength less than 80.000 PSI and unworked pipe-end	*7304.29.00.10*
140	*- - - Other*	*7304.29.00.90*
	Other tubes and pipes (eg. welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4mm, of iron or steel (+).	*73.05*
	- Line pipes of a kind used for oil or gas pipelines:	
141	*- - Longitudinally submerged arc welded*	*7305.11.00.00*
	- - Other, longitudinally welded:	*7305.12*
142	*- - - Electric resistance welded (ERW)*	*7305.12.10.00*
143	*- - - Other*	*7305.12.90.00*
	- - Other:	*7305.19*
144	*- - - Spiral or helical submerged arc welded*	*7305.19.10.00*
145	*- - - Other*	*7305.19.90.00*
146	*- Casing of a kind used in drilling for oil or gas*	*7305.20.00.00*
	- Other, welded:	
	- - Longitudinally welded:	*7305.31*
147	*- - - Stainless steel pipes and tubes*	*7305.31.10.00*
148	*- - - Other*	*7305.31.90.00*
	- - Other:	*7305.39*
149	*- - - High-pressure pipe*	*7305.39.10.00*
150	*- - - Other*	*7305.39.90.00*
151	*- Other*	*7305.90.00.00*
	Other tubes, pipes, and hollow profiles (eg. open seam or welded, riveted or similarly closed) of iron or steel (+).	*73.06*
	- Line pipe of a kind used for oil or gas pipeline:	
	- - Welded, of stainless steel:	*7306.11*
152	*- - - Longitudinally electric resistance welded (ERW)*	*7306.11.10.00*
153	*- - - Spiral or helical submerged arc welded*	*7306.11.20.00*
154	*- - - Other*	*7306.11.90.00*
	- - Other:	*7306.19*
155	*- - - Longitudinally electric resistance welded (ERW)*	*7306.19.10.00*
156	*- - - Spiral or helical submerged arc welded*	*7306.19.20.00*
157	*- - - Other*	*7306.19.90.00*
	- Casing and tubing of a kind used in drilling for oil or gas:	
158	*- - Welded, of stainless steel*	*7306.21.00.00*
159	*- - Other*	*7306.29.00.00*
	- Other, welded, of circular cross-section, of iron or non-alloy steel:	*7306.30*
	- - Boiler tubes:	*7306.30.10*
	- - - With external diameter less than 12,5 mm	*7306.30.10.10*
160	*- - - With external diameter of 12,5 mm or more*	*7306.30.10.20*
	- - Copper-plated, fluororesin-coated or zinc-chromated steel tubes with an external diameter not exceeding 15 mm:	*7306.30.20*
	- - - With external diameter less than 12,5 mm	*7306.30.20.10*
161	*- - - With external diameter of 12,5 mm or more*	*7306.30.20.20*
	- - Pipe of a kind used to make sheath pipe (heater pipe) for heating elements of electric flat irons or rice cookers, with an external diameter not exceeding 12 mm	*7306.30.30.00*
	- - High-pressure pipe:	*7306.30.40*
	- - - With external diameter less than 12,5 mm	*7306.30.40.10*
162	*- - - With external diameter of 12,5 mm or more*	*7306.30.40.90*
	- - Other:	*7306.30.90*
	- - - With external diameter less than 12,5 mm	*7306.30.90.10*

No	Description	HS CODE
163	- - - With external diameter of 12,5 mm or more	7306.30.90.90
	- Other, welded, of circular cross-section, of other alloy steel:	7306.50
	- - Boiler tubes:	7306.50.10
	- - - Welded boiler tubes with external diameter not exceeding 12,5 mm	7306.50.10.10
164	- - - Welded boiler tubes with external diameter exceeding 12,5 mm	7306.50.10.20
	- - Other:	7306.50.90
165	- - - With external diameter not exceeding 12.5 mm	7306.50.90.10
166	- - - With external diameter exceeding 12.5 mm	7306.50.90.90
	- Other, welded, of non-circular cross-section:	
	- - Of square or rectangular cross-section:	7306.61.00
	- - - With external diameter of less than 12,5 mm	7306.61.00.10
167	- - - Other	7306.61.00.90
	- - Of other non-circular cross-section:	7306.69.00
	- - - With external diameter of less than 12,5 mm	7306.69.00.10
168	- - - Other	7306.69.00.90
	- Other:	7306.90
	- - Copper brazed pipes and tubes:	7306.90.10
	- - - With external diameter of less than 12,5 mm	7306.90.10.10
169	- - - Other	7306.90.10.90
	- - Other:	7306.90.90
	- - - With external diameter of less than 12,5 mm	7306.90.90.10
170	- - - Other	7306.90.90.90
	Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel.	73.07
	- Cast fittings:	
	- - Of non-malleable cast iron:	7307.11
171	- - - Hubless tube or pipe fittings	7307.11.10.00
172	- - - Other	7307.11.90.00
173	- - Other	7307.19.00.00
	- Other, of stainless steel:	
	- - Flanges:	7307.21
174	- - - Having an internal diameter of less than 15 cm	7307.21.10.00
175	- - - Other	7307.21.90.00
	- - Threaded elbows, bends and sleeves:	7307.22
176	- - - Having an internal diameter of less than 15 cm	7307.22.10.00
177	- - - Other	7307.22.90.00
	- Other:	
	- - Flanges:	7307.91
178	- - - Having an internal diameter of less than 15 cm	7307.91.10.00
179	- - - Other	7307.91.90.00
	- - Threaded elbows, bends and sleeves:	7307.92
180	- - - Having an internal diameter of less than 15 cm	7307.92.10.00
181	- - - Other	7307.92.90.00
	- - Butt welding fittings:	7307.93
182	- - - Having an internal diameter of less than 15 cm	7307.93.10.00
183	- - - Other	7307.93.90.00
	- - Other:	7307.99
	- - - Having an internal diameter of less than 15 cm	7307.99.10.00
	- - - Other	7307.99.90.00
	Structures (excluding prefabricated buildings of heading 94.06) & parts of structures (eg. bridge and bridge-sections, lock-gates, towers, lattice, masts, roofs, foofing frame-works, doors and windows and their frames and thresholds for dorrs, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like prepared for use in structures, of iron or steel.	73.08
	- Bridges and bridge-sections:	7308.10
184	- - Prefabricated modular type joined by shear connectors	7308.10.10.00
185	- - Other	7308.10.90.00
	- Towers and lattice masts:	7308.20
	- - Towers:	
186	- - - Prefabricated modular type joined by shear connectors	7308.20.11.00
187	- - - Other	7308.20.19.00
	- - Lattice masts:	
188	- - - Prefabricated modular type joined by shear connectors	7308.20.21.00
189	- - - Other	7308.20.29.00
190	- Doors, windows and their frames and thresholds for doors	7308.30.00.00
	- Equipment for scaffolding, shuttering, propping or pit-propping:	7308.40
191	- - Prefabricated modular type joined by shear connectors	7308.40.10.00
192	- - Other	7308.40.90.00
	- Other:	7308.90
193	- - Prefabricated modular type joined by shear connectors	7308.90.20.00
194	- - Corrugated & curved galvanised plates or sheets for use in conduits, culverts or tunnels:	7308.90.40.00

No	Description	HS CODE
195	- - Rails for ships	7308.90.50.00
196	- - Perforated cable trays	7308.90.60.00
	- - Other:	
197	- - - Guardrails	7308.90.92.00
198	- - - Other	7308.90.99.00
	Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated.	73.12
	- Stranded wire, ropes and cables:	7312.10
199	- - Locked coils, flattened strands and non-rotating wire ropes	7312.10.10.00
200	- - Plated or coated with brass and of a diameter not exceeding 3 mm	7312.10.20.00
	- - Other:	
	- - - Prestressing steel strand:	7312.10.91
201	- - - - Prestressed concrete strand wire	7312.10.91.10
202	- - - - Other	7312.10.91.90
203	- - - Other	7312.10.99.00
204	- Other	7312.90.00.00
	Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel (+).	73.14
205	- Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm^2 or more	7314.20.00.00
	- Other grill, netting and fencing, welded at the intersection:	
206	- - Plated or coated with zinc	7314.31.00.00
207	- - Other	7314.39.00.00
	- Other cloth, grill, netting and fencing:	
208	- - Plated or coated with zinc	7314.41.00.00
209	- - Coated with plastic	7314.42.00.00
210	- - Other	7314.49.00.00
211	- Expeanded Metal	7314.50.00.00
	Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 83.05) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper.	73.17
212	- Nail wire	7317.00.10.00